L Number	Hits	Search Text	DB	Time stamp
1	232	CMEA or cellular adj1 message adj1 message adj1 encrypt$5 adj1 algorithm	USPAT; EPO; JPO; DERWENT	2004/10/28 12:35
2	9818	(CMEA or cellular adj1 message adj1 message adj1 encrypt$5 adj1 algorithm) and 713/$.ccls. or 380/$.ccls.	USPAT; EPO; JPO; DERWENT	2004/10/28 10:48
3	20686	713/$.ccls. or 380/$.ccls.	USPAT; EPO; JPO; DERWENT	2004/10/28 10:48
4	10	(713/$.ccls. or 380/$.ccls.) and (CMEA or cellular adj1 message adj1 message adj1 encrypt$5 adj1 algorithm)	USPAT; EPO; JPO; DERWENT	2004/10/28 11:50
5	23838	(deriv$4 or generat$4 or creat$4) near4 offset	USPAT; EPO; JPO; DERWENT	2004/10/28 11:51
6	13589	(message or data or information or file) near3 (transformation)	USPAT; EPO; JPO; DERWENT	2004/10/28 11:53
7	29877	(lookup or mapping or map$4 or array$4) and (iterat$5)	USPAT; EPO; JPO; DERWENT	2004/10/28 11:54
8	207	permutat$5 same offset$5	USPAT; EPO; JPO; DERWENT	2004/10/28 11:55
9	31207	second near4 transform$5	USPAT; EPO; JPO; DERWENT	2004/10/28 11:56
12	11	(CMEA or cellular adj1 message adj1 message adj1 encrypt$5 adj1 algorithm) and ((lookup or mapping or map$4 or array$4) and (iterat$5))	USPAT; EPO; JPO; DERWENT	2004/10/28 11:57
13	5	(CMEA or cellular adj1 message adj1 message adj1 encrypt$5 adj1 algorithm) and ((message or data or information or file) near3 (transformation))	USPAT; EPO; JPO; DERWENT	2004/10/28 11:57
14	10	(CMEA or cellular adj1 message adj1 message adj1 encrypt$5 adj1 algorithm) and ((deriv$4 or generat$4 or creat$4) near4 offset)	USPAT; EPO; JPO; DERWENT	2004/10/28 11:57
15	10	(CMEA or cellular adj1 message adj1 message adj1 encrypt$5 adj1 algorithm) and ((713/$.ccls. or 380/$.ccls.) and (CMEA or cellular adj1 message adj1 message adj1 encrypt$5 adj1 algorithm))	USPAT; EPO; JPO; DERWENT	2004/10/28 11:57
16	10	(CMEA or cellular adj1 message adj1 message adj1 encrypt$5 adj1 algorithm) and (713/$.ccls. or 380/$.ccls.)	USPAT; EPO; JPO; DERWENT	2004/10/28 11:57
17	4	((deriv$4 or generat$4 or creat$4) near4 offset) and ((message or data or information or file) near3 (transformation)) and ((lookup or mapping or map$4 or array$4) and (iterat$5)) and (permutat$5 same offset$5) and (second near4 transform$5)	USPAT; EPO; JPO; DERWENT	2004/10/28 12:20
10	9	(CMEA or cellular adj1 message adj1 message adj1 encrypt$5 adj1 algorithm) and (second near4 transform$5)	USPAT; EPO; JPO; DERWENT	2004/10/28 12:00
11	8	(CMEA or cellular adj1 message adj1 message adj1 encrypt$5 adj1 algorithm) and (permutat$5 same offset$5)	USPAT; EPO; JPO; DERWENT	2004/10/28 12:01
19	807	380/255.ccls. or 380/247.ccls. or 380/270.ccls. or 380/274.ccls. or 380/281.ccls. or 380/284.ccls.	USPAT; EPO; JPO; DERWENT	2004/10/28 12:14
20	986	455/410-411.ccls.	USPAT; EPO; JPO; DERWENT	2004/10/28 12:02
21	1668	(380/255.ccls. or 380/247.ccls. or 380/270.ccls. or 380/274.ccls. or 380/281.ccls. or 380/284.ccls.) or 455/410-411.ccls.	USPAT; EPO; JPO; DERWENT	2004/10/28 12:03

22	7	((380/255.ccls. or 380/247.ccls. or 380/270.ccls. or 380/274.ccls. or 380/281.ccls. or 380/284.ccls.) or 455/410-411.ccls.) and (CMEA or cellular adj1 message adj1 message adj1 encrypt$5 adj1 algorithm)	USPAT; EPO; JPO; DERWENT	2004/10/28 12:03
23	10	tbox and (713/$.ccls. or 380/$.ccls.)	USPAT; EPO; JPO; DERWENT	2004/10/28 12:09
24	5	((deriv$4 or generat$4 or creat$4) near4 offset) and ((message or data or information or file) near3 (transformation)) and ((lookup or mapping or map$4 or array$4) and (iterat$5)) and (permutat$5 same offset$5)	USPAT; EPO; JPO; DERWENT	2004/10/28 12:11
25	1486	380/255.ccls. or 380/247.ccls. or 380/270.ccls. or 380/274.ccls. or 380/281.ccls. or 380/284.ccls. or 380/28.ccls.	USPAT; EPO; JPO; DERWENT	2004/10/28 12:14
26	21	(380/255.ccls. or 380/247.ccls. or 380/270.ccls. or 380/274.ccls. or 380/281.ccls. or 380/284.ccls. or 380/28.ccls.) and ((deriv$4 or generat$4 or creat$4) near4 offset)	USPAT; EPO; JPO; DERWENT	2004/10/28 12:14
27	7	(380/255.ccls. or 380/247.ccls. or 380/270.ccls. or 380/274.ccls. or 380/281.ccls. or 380/284.ccls. or 380/28.ccls.) and (CMEA or cellular adj1 message adj1 message adj1 encrypt$5 adj1 algorithm)	USPAT; EPO; JPO; DERWENT	2004/10/28 12:15
28	2346	(380/255.ccls. or 380/247.ccls. or 380/270.ccls. or 380/274.ccls. or 380/281.ccls. or 380/284.ccls. or 380/28.ccls.) or 455/410-411.ccls.	USPAT; EPO; JPO; DERWENT	2004/10/28 12:15
29	22	((380/255.ccls. or 380/247.ccls. or 380/270.ccls. or 380/274.ccls. or 380/281.ccls. or 380/284.ccls. or 380/28.ccls.) or 455/410-411.ccls.) and ((deriv$4 or generat$4 or creat$4) near4 offset)	USPAT; EPO; JPO; DERWENT	2004/10/28 12:15
30	134	((380/255.ccls. or 380/247.ccls. or 380/270.ccls. or 380/274.ccls. or 380/281.ccls. or 380/284.ccls. or 380/28.ccls.) or 455/410-411.ccls.) and ((lookup or mapping or map$4 or array$4) and (iterat$5))	USPAT; EPO; JPO; DERWENT	2004/10/28 12:15
31	134	(((380/255.ccls. or 380/247.ccls. or 380/270.ccls. or 380/274.ccls. or 380/281.ccls. or 380/284.ccls. or 380/28.ccls.) or 455/410-411.ccls.) and ((lookup or mapping or map$4 or array$4) and (iterat$5))) and ((lookup or mapping or map$4 or array$4) and (iterat$5))	USPAT; EPO; JPO; DERWENT	2004/10/28 12:15
32	6	(((380/255.ccls. or 380/247.ccls. or 380/270.ccls. or 380/274.ccls. or 380/281.ccls. or 380/284.ccls. or 380/28.ccls.) or 455/410-411.ccls.) and ((lookup or mapping or map$4 or array$4) and (iterat$5))) and (permutat$5 same offset$5)	USPAT; EPO; JPO; DERWENT	2004/10/28 12:16
33	0	block near2 cipher$4 and (CMEA or cellular adj1 message adj1 message adj1 encrypt$5 adj1 algorithm)	USPAT; EPO; JPO; DERWENT	2004/10/28 12:20
34	1058	block near2 cipher$4	USPAT; EPO; JPO; DERWENT	2004/10/28 12:20

35	0	((deriv$4 or generat$4 or creat$4) near4 offset) and ((message or data or information or file) near3 (transformation)) and ((lookup or mapping or map$4 or array$4) and (iterat$5)) and (permutat$5 same offset$5) and block near2 cipher	USPAT; EPO; JPO; DERWENT	2004/10/28 12:21
36	92073	block adj2 cipher$4 or symmetric or secret	USPAT; EPO; JPO; DERWENT	2004/10/28 12:21
37	16	(CMEA or cellular adj1 message adj1 message adj1 encrypt$5 adj1 algorithm) and (block adj2 cipher$4 or symmetric or secret)	USPAT; EPO; JPO; DERWENT	2004/10/28 12:25
38	494	WEP or (CMEA or cellular adj1 message adj1 message adj1 encrypt$5 adj1 algorithm)	USPAT; EPO; JPO; DERWENT	2004/10/28 12:33
39	233	CMEA or cellular adj1 message adj1 encrypt$5 adj1 algorithm	USPAT; EPO; JPO; DERWENT	2004/10/28 12:35
40	10	(CMEA or cellular adj1 message adj1 encrypt$5 adj1 algorithm) and ((deriv$4 or generat$4 or creat$4) near4 offset)	USPAT; EPO; JPO; DERWENT	2004/10/28 12:35
41	5	(CMEA or cellular adj1 message adj1 encrypt$5 adj1 algorithm) and ((message or data or information or file) near3 (transformation))	USPAT; EPO; JPO; DERWENT	2004/10/28 12:35
42	11	(CMEA or cellular adj1 message adj1 encrypt$5 adj1 algorithm) and ((lookup or mapping or map$4 or array$4) and (iterat$5))	USPAT; EPO; JPO; DERWENT	2004/10/28 12:35
43	8	(CMEA or cellular adj1 message adj1 encrypt$5 adj1 algorithm) and (permutat$5 same offset$5)	USPAT; EPO; JPO; DERWENT	2004/10/28 12:36
44	9	(CMEA or cellular adj1 message adj1 encrypt$5 adj1 algorithm) and (second near4 transform$5)	USPAT; EPO; JPO; DERWENT	2004/10/28 12:36
45	17	(CMEA or cellular adj1 message adj1 encrypt$5 adj1 algorithm) and (block adj2 cipher$4 or symmetric or secret)	USPAT; EPO; JPO; DERWENT	2004/10/28 12:36

```
SYSTEM:OS  - DIALOG OneSearch
   File   2:INSPEC 1969-2004/Oct W3
          (c) 2004 Institution of Electrical Engineers
*File   2: Alert feature enhanced for multiple files, duplicates
removal, customized scheduling. See HELP ALERT.
   File   6:NTIS 1964-2004/Oct W2
          (c) 2004 NTIS, Intl Cpyrght All Rights Res
   File   8:Ei Compendex(R) 1970-2004/Oct W3
          (c) 2004 Elsevier Eng.  Info. Inc.
   File  34:SciSearch(R) Cited Ref Sci 1990-2004/Oct W4
          (c) 2004 Inst for Sci Info
   File 434:SciSearch(R) Cited Ref Sci 1974-1989/Dec
          (c) 1998 Inst for Sci Info
   File  35:Dissertation Abs Online 1861-2004/Sep
          (c) 2004 ProQuest Info&Learning
   File  62:SPIN(R) 1975-2004/Aug W4
          (c) 2004 American Institute of Physics
   File  99:Wilson Appl. Sci & Tech Abs 1983-2004/Sep
          (c) 2004 The HW Wilson Co.
   File 144:Pascal 1973-2004/Oct W3
          (c) 2004 INIST/CNRS
   File  94:JICST-EPlus 1985-2004/Sep W4
          (c)2004 Japan Science and Tech Corp(JST)
   File 233:Internet & Personal Comp. Abs. 1981-2003/Sep
          (c) 2003 EBSCO Pub.
*File 233: File 233 is closed (no longer updating).
   File 266:FEDRIP 2004/Aug
          Comp & dist by NTIS, Intl Copyright All Rights Res
   File  15:ABI/Inform(R) 1971-2004/Oct 28
          (c) 2004 ProQuest Info&Learning
*File  15: Alert feature enhanced for multiple files, duplicate
removal, customized scheduling. See HELP ALERT.
   File  16:Gale Group PROMT(R) 1990-2004/Oct 28
          (c) 2004 The Gale Group
*File  16: Alert feature enhanced for multiple files, duplicate
removal, customized scheduling. See HELP ALERT.
   File  98:General Sci Abs/Full-Text 1984-2004/Sep
          (c) 2004 The HW Wilson Co.
   File 239:Mathsci 1940-2004/Dec
          (c) 2004 American Mathematical Society
   File 275:Gale Group Computer DB(TM) 1983-2004/Oct 28
          (c) 2004 The Gale Group
   File 621:Gale Group New Prod.Annou.(R) 1985-2004/Oct 28
          (c) 2004 The Gale Group
   File 636:Gale Group Newsletter DB(TM) 1987-2004/Oct 28
          (c) 2004 The Gale Group
   File 647:CMP  Computer Fulltext 1988-2004/Oct W3
          (c) 2004 CMP Media, LLC
  ·File 674:Computer News Fulltext 1989-2004/Sep W1
          (c) 2004 IDG Communications
   File 256:TecInfoSource 82-2004/Jul
          (c)2004 Info.Sources Inc
   File   9:Business & Industry(R) Jul/1994-2004/Oct 27
          (c) 2004  The Gale Group
   File 148:Gale Group Trade & Industry DB 1976-2004/Oct 15
          (c)2004 The Gale Group
*File 148: Alert feature enhanced for multiple files, duplicate
removal, customized scheduling. See HELP ALERT.
   File 624:McGraw-Hill Publications 1985-2004/Oct 28
          (c) 2004 McGraw-Hill Co. Inc
*File 624: Homeland Security & Defense and 9 Platt energy journals added
Please see HELP NEWS624 for more
   File 553:Wilson Bus. Abs. FullText 1982-2004/Sep
          (c) 2004 The HW Wilson Co
   File 696:DIALOG Telecom. Newsletters 1995-2004/Oct 27
          (c) 2004 The Dialog Corp.
```

```
          Set   Items   Description
          ---   -----   -----------
?s CMEA or cellular (1n) message (1n) encryption
             2808    CMEA
          1405480    CELLULAR
           953855    MESSAGE
           202517    ENCRYPTION
               70    CELLULAR(1N)MESSAGE(1N)ENCRYPTION
      S1    2819    CMEA OR CELLULAR (1N) MESSAGE (1N) ENCRYPTION
?s permut? (s) offset?
            70872    PERMUT?
           755421    OFFSET?
      S2      83    PERMUT? (S) OFFSET?
?s lookup or mapping or map? or array?
            26871    LOOKUP
           665464    MAPPING
          1930363    MAP?
          1302493    ARRAY?
      S3 3184141    LOOKUP OR MAPPING OR MAP? OR ARRAY?
?s (message or file? or data? or information) (3n) transform?)
>>>Unmatched parentheses
?s (message or file? or data or information) (3n) (transform?)
Processing
Processed  10 of  27 files ...
Processing
Processed  20 of  27 files ...
Processing
Completed processing all files
           953855    MESSAGE
          3152944    FILE?
         14015250    DATA
         17283802    INFORMATION
          2826933    TRANSFORM?
      S4   91939    (MESSAGE OR FILE? OR DATA OR INFORMATION) (3N)
                    (TRANSFORM?)
?s s4 and s1
            91939    S4
             2819    S1
      S5       4    S4 AND S1
?s (multiple? or plural? or many or second) (3n) (transform?) and s2
Processing
Processed  10 of  27 files ...
Completed processing all files
          3683844    MULTIPLE?
            50604    PLURAL?
          8296422    MANY
          6583986    SECOND
          2826933    TRANSFORM?
            27242    (((MULTIPLE? OR PLURAL?) OR MANY) OR
                    SECOND)(3N)TRANSFORM?
               83    S2
      S6       3    (MULTIPLE? OR PLURAL? OR MANY OR SECOND) (3N)
                    (TRANSFORM?) AND S2
?e au=etzel,mark

Ref    Items   Index-term
E1        1   AU=ETZEL, Z.
E2        2   AU=ETZEL, ZONGYIN
E3        0  *AU=ETZEL,MARK
E4        6   AU=ETZELL B M
E5        5   AU=ETZELL BM
E6       11   AU=ETZELL J
E7        2   AU=ETZELL J E
E8        7   AU=ETZELL JE
E9        2   AU=ETZELL JOAN
E10       1   AU=ETZELL JOAN E
E11       5   AU=ETZELL P
```

```
E12        7  AU=ETZELL P S

           Enter P or PAGE for more
?e au=frank,robert

Ref    Items  Index-term
E1         0 *AU=FRANK,ROBERT
E2         1  AU=FRANK,TRACYD
E3         1  AU=FRANKA
E4         2  AU=FRANKA G M
E5         1  AU=FRANKA J
E6         1  AU=FRANKA MR
E7         3  AU=FRANKA R
E8         2  AU=FRANKA S
E9         3  AU=FRANKA, J.
E10        5  AU=FRANKA, JOHN
E11        2  AU=FRANKA, S.
E12        2  AU=FRANKA, STEVE

           Enter P or PAGE for more
?e au= heer, daniel

Ref    Items  Index-term
E1         0 *AU=HEER, DANIEL
E2         2  AU=HEER, DANIEL N.
E3         1  AU=HEER, DARVIN
E4         2  AU=HEER, DAVID J.
E5         1  AU=HEER, DAVID M
E6         1  AU=HEER, DAVID M.
E7         1  AU=HEER, DAVID MACALPINE
E8         1  AU=HEER, DON
E9         3  AU=HEER, DONALD
E10      135  AU=HEER, E.
E11       13  AU=HEER, EWALD
E12        2  AU=HEER, EWALD (ED. )

           Enter P or PAGE for more
?e au=mxnelis,robert

Ref    Items  Index-term
E1         1  AU=MXLEROY, E.G.
E2         2  AU=MXN, JULIAN
E3         0 *AU=MXNELIS,ROBERT
E4         1  AU=MXOTKOWSKA B
E5         1  AU=MXQLLER, ANDERS PAPE
E6         1  AU=MXSKIMIN, H. J.
E7         3  AU=MY
E8         1  AU=MY ABDELMAJID KASSEM
E9         1  AU=MY AHMED IRAGI
E10        1  AU=MY AHMED MALIKI
E11        1  AU=MY AHMED SAID A S
E12        5  AU=MY AHMED SAID AZIZI SAMIR

           Enter P or PAGE for more
?e au=mcnelis,robert

Ref    Items  Index-term
E1         2  AU=MCNELIS, ROSEMARY HATTRUP
E2         1  AU=MCNELIS, WILLIAM J.
E3         0 *AU=MCNELIS,ROBERT
E4         2  AU=MCNELL B J
E5         1  AU=MCNELL H
E6         1  AU=MCNELL J J
E7         1  AU=MCNELL M
E8         1  AU=MCNELL N
E9         1  AU=MCNELL P L
E10        1  AU=MCNELL S E
```

```
E11        1  AU=MCNELL T F
E12        1  AU=MCNELL, B.W.J.

          Enter P or PAGE for more
?e au=mizjkovsky,semyon

Ref    Items   Index-term
E1         0  *AU=MIZJKOVSKY,SEMYON
E2         1  AU=MIZKAN AI
E3         1  AU=MIZKAT H J
E4         1  AU=MIZKEWIC A N
E5         1  AU=MIZKJEWITSCH, N. V.
E6         1  AU=MIZKJEWITSCH, NIKOLAJ
E7         2  AU=MIZLA P
E8         1  AU=MIZLA, W. A.
E9         1  AU=MIZLER M O
E10        1  AU=MIZLIKOSHI K
E11        1  AU=MIZLO J
E12        1  AU=MIZLO, J.J., III

          Enter P or PAGE for more
?e au=rance,robert

Ref    Items   Index-term
E1         2  AU=RANCE, W. G.
E2         2  AU=RANCE, W.G.
E3         0  *AU=RANCE,ROBERT
E4         2  AU=RANCEA A
E5         1  AU=RANCEA G
E6         1  AU=RANCEA, GH.
E7         8  AU=RANCEL A
E8         1  AU=RANCEL C
E9         1  AU=RANCEL D M
E10        2  AU=RANCEL MMS
E11        3  AU=RANCEL N
E12        1  AU=RANCEL TORRES N

          Enter P or PAGE for more
?e au=shipp,R

Ref    Items   Index-term
E1         5  AU=SHIPP, WILLIAM S.
E2         1  AU=SHIPP, WILLIAM STANLEY
E3         0  *AU=SHIPP,R
E4         1  AU=SHIPPAM C
E5         1  AU=SHIPPAM CE
E6         1  AU=SHIPPAM G K
E7         1  AU=SHIPPAM J
E8         1  AU=SHIPPAM-BRETT C
E9         1  AU=SHIPPAM-BRETT CE
E10        1  AU=SHIPPAM, CYNTHIA ELIZABETH
E11        1  AU=SHIPPAN R
E12        1  AU=SHIPPAN, R.

          Enter P or PAGE for more
?s s3 and s2
        3184141   S3
             83   S2
     S7      21   S3 AND S2
?s s4 and s3
         91939   S4
        3184141   S3
     S8   15264   S4 AND S3
?s s8 and s1
         15264   S8
          2819   S1
     S9       0   S8 AND S1
```

Web   Images   Groups   News   Froogle   more »

Google

CMEA and block cipher   Search   Advanced Search
                                                    Preferences

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web   Results **1 - 10** of about **456** for **CMEA** and **block cipher**. (0.60 seconds)

Block cipher - Wikipedia, the free encyclopedia
Block cipher. ... In cryptography, a **block cipher** is a type of symmetric key **cipher** which
operates on groups of bits of a fixed length, termed **blocks**. ...
en.wikipedia.org/wiki/Block_cipher - 23k - Cached - Similar pages

Block cipher modes of operation - Wikipedia, the free encyclopedia
Block cipher modes of operation. From ... encyclopedia. In cryptography, a **block cipher**
operates on **blocks** of fixed length, often 64 or 128 bits. ...
en.wikipedia.org/wiki/Block_cipher_modes_of_operation - 23k - Cached - Similar pages
[More results from en.wikipedia.org]

CMEA (cipher) - encyclopedia article about CMEA (cipher). Free ...
... | **CMEA** In cryptography, the Cellular Message Encryption Algorithm (**CMEA**) is a **block**
cipher which was used for securing mobile phones in the United States. ...
encyclopedia.thefreedictionary.com/CMEA%20(cipher) - 41k - Cached - Similar pages

Science Fair Projects - Cellular Message Encryption Algorithm
... In cryptography, the Cellular Message Encryption Algorithm (**CMEA**) is a **block cipher**
which was used for securing mobile phones in the United States. ...
www.all-science-fair-projects.com/ science_fair_projects_encyclopedia/CMEA_(cipher) - 18k - Cached - Similar pages

Block cipher - free-definition.com
Search: **Block cipher**. Definition, Meaning, Explanation. In cryptography ... bits.
64-bit **blocks** became common in **block cipher** designs after DES. Key ...
www.free-definition.com/Block-cipher.html - 23k - Cached - Similar pages

Kremlin. Cryptographic Algorithms
... It is a stream **cipher** based on three 32-bit Galois LFSRs. It is distinct from **CMEA**,
which is a **block cipher** used to encrypt the cellular data control channel. ...
kremlinencrypt.com/algorithms.htm - 48k - Cached - Similar pages

Citations: Decrypting the Puzzle Palace - Barlow (ResearchIndex)
... **CMEA** (Control Message Encryption Algorithm) a simple **block cipher**, is used to encrypt
the control channel [Ree91] The voice privacy algorithms has long been ...
citeseer.ist.psu.edu/context/441837/0 - 12k - Supplemental Result - Cached - Similar pages

[PS] [ProductName: GNU Ghostscript]
File Format: Adobe PostScript - View as Text
... l'Control channel uses **CMEA**, a variable. -width. **block cipher** with 2 rounds %%[Page:
26]%% Cryptanalysisl'Voice privacy is XOR with 520 -bit mask. ...
www.cs.berkeley.edu/~daw/talks/SAC02.ps - Similar pages

Cryptanalysis of the Cellular Message Encryption Algorithm
... 2 A description of **CMEA**. We describe the **CMEA** specification fully here for reference.
**CMEA** is a byte-oriented variable-width **block cipher** with a 64 bit key. ...
www.cs.berkeley.edu/~daw/ papers/cmea-crypto97-www/paper10.html - 46k - Cached - Similar pages
[More results from www.cs.berkeley.edu]

Block cipher - Definition of Block cipher by Webster's Online ...
... 3-Way, AES, Blowfish, Camellia, CAST-128, CAST-256, **CMEA**, DEAL, DES, DES-X, FEAL,
GDES, GOST, IDEA, Iraqi **block cipher**, KASUMI, Khafre, KHAZAD, Khufu, LOKI89/91 ...
www.webster-dictionary.org/definition/block%20cipher - 18k - Cached - Similar pages

Goooooooooogle ▶

h   g   g e c   e ch h e   b c   c he   b   e ch